



www.lafourchegov.org

4876 Highway 1 • Mathews, LA 70375
P.O. Box 425 • Mathews, LA 70375
985.537.7603 • 800.794.3160 • Fax 985.532.8292

James B. Cantrelle, *Parish President*

Revised 3/9/2011

MINIMUM REQUIRED INSPECTIONS FOR A SELF CONTRACT NEW HOUSE

*Temporary power pole and meter

FOUNDATION

- *Plumbing rough-in at slab & test
- *Electric rough-in at slab (if any)
- *Slab inspections before pouring concrete
- *Underground sewer line between home and parish sewer or private treatment plant & test
- *Underground water line between the meter and the house & test
- *Underground electrical lines between Electric Company and the home (if any)

FRAMING

- *Fuel Gas rough-in and test (if any)
- *Mechanical rough-in
- *Plumbing top out and test
- *Electrical rough-in
- *High wind framing inspection
- *Building framing
- *Energy Code (Windows, Doors and Sealing of Envelope)
- *2nd Elevation Certificate (if applicable)

POST FRAMING INSPECTION

- *Wall Insulation

PRE-FINAL INSPECTION

- *Temporary Permanent Power (Valid for 90 days)
- *Final Elevation Certificate showing all mechanical etc. (if applicable)

FINAL INSPECTION

- *Mechanical final
- *Fuel gas final (if any)
- *Plumbing top out and test
- *Electrical final
- *Energy code final (Attic Insulation)

PLEASE NOTE: Remember to get an inspection before anything is covered up. More than one item can be inspected on one trip.

Signature of Permit Holder

Date

James B. Cantrelle	Parish President		District 5
Jerry Jones	District 1	Corey Perrillieux	District 6
Luci Sposito	District 2	Armand Autin	District 7
Michael Gros	District 3	Jerry LaFont	District 8
Aaron "Bo" Melvin	District 4	Daniel Lorraine	District 9